

**The Dual Diagnosis Physician-infrastructure Assessment Tool (DDPAT):
Examining State-Funded Facilities and Physician Workforce Attributes**

Supplement 2: Tables 1-3 and Figure 1.

Supplement 2: Table 1. Treatment center profiles

	Hospitals (N = 6)		CMHCs (N = 30)		Addiction Centers (N = 13)		All (N = 49)	
	N	%	N	%	N	%	N	%
Treatment focus								
Mental illness	4	67	1	3	0	---	5	10
Addictions	0	---	0	---	10	77	10	20
Dual diagnosis (separate)	0	---	9	30	1	8	10	20
Dual diagnosis (integrated)	2	33	20	67	2	15	24	49
Addiction Services								
Inpatient detoxification	0	---	16	53	4	31	20	41
Outpatient opiate maintenance	0	---	4	13	0	---	4	8
Both	0	---	1	3	1	8	2	4
Neither	6	100	9	30	8	62	23	47
Patient population								
Adults	4	67	6	20	10	77	20	41
Children	1	17	0	---	0	---	1	2
Both	1	17	24	80	3	23	28	57
Physician workforce totals								
Physicians on staff	38		229		19		286	
Open positions (FTE)	16.5		30.2		9.2		55.9	
Open positions as % of total positions ^a	30.3%		11.7%		32.6%		16.3%	
Non-physician prescribers ^b	2 (5%)		58 (20.2 %)		1 (5.0%)		61 (17.6%)	


^a Calculated as (FTE/(FTE + total positions) x 100%

^b Number of non-physician prescribers (percentage of all prescribers)

Supplement 2: Table 2. Addiction services provided by clinical focus of treatment center

	Clinical focus of treatment center							
	Mental illness (N = 5)		Addictions (N = 10)		Dual diagnosis, separate (N = 10)		Dual diagnosis, integrated (N = 24)	
	N	%	N	%	N	%	N	%
Addiction Services								
Inpatient detoxification	0	---	3	30	6	60	11	45
Outpatient opiate maintenance	0	---	0	---	1	10	3	13
Both	0	---	0	---	0	---	2	8
Neither	5	100	7	70	3	30	8	33

Supplement 2: Figure 1. Age distribution of physicians who completed the Phase II survey



Supplement 2:Table 3. Distribution of physicians with addiction certifications by clinical focus of treatment center and physician role

	ABPN (N = 7)		ASAM (N = 11)		Either (N = 17)	
	N	%	N	%	N	%
Clinical focus of treatment center (N=213)^a						
Mental illness (n = 26)	1	4	0	---	1	4
Addictions (n = 7)	0	---	2	29	2	29
Dual diagnosis (separate) (n = 44)	0	---	2	5	2	5
Dual diagnosis (integrated) (n = 136)	6	5	7	5	12 ^c	9
Physician's treatment role (N=212)^b						
Mental illness (n = 134)	1	1	3	2	4	3
Addictions (n = 5)	1	20	3	60	3	60
Opiate addictions (n = 1)	0	---	1	100	1	100
Mental illness & addictions (n = 60)	5	8	2	3	7	12
Medical (n = 12)	0	---	2	17	2	17

^a Missing cases excluded; two responding physicians did not report on ABPN addiction psychiatry and/or ASAM certification.

^b Missing cases excluded; one responding physician did not report main treatment role and two did not report addictions certifications.

^c One physician, certified in addictions by both ABPN and ASAM, worked in an integrated dual diagnosis center providing addiction treatment.

Percentages reflect the fraction of total number (n) of physicians in response category in the left column.