## **Reference** Appendix

- 1. Lasser K, Boyd JW, Woolhandler S. et al: Smoking and mental illness: A populationbased prevalence study. Journal of the American Medical Association 284: 22-29, 2000
- Morisano D, Bacher I, Audrain-McGovern J, et al: Mechanisms underlying the comorbidity of tobacco use in mental health and addictive disorders. Canadian Journal of Psychiatry 59: 356-367, 2009
- Prochaska JJ, Gill P, Hall SM: Treatment of tobacco use in inpatient psychiatric setting. Psychiatric Services. 55: 1265-1270, 2004
- Keizer I, Eytan A: Variations in smoking during hospitalization in psychiatric in-patient units and smoking prevalence in patients and health-care staff. International Journal of Social Psychiatry 51: 317-328, 2005
- Kelly DL, McMahon RP, Liu F, et al: Cardiovascular disease mortality in patients with chronic schizophrenia treated with clozapine: A retrospective cohort study. Journal of Clinical Psychiatry 1: 304-311, 2010
- 6. Lichtermann D, Ekelund J, Pukkala E, et al: Incidence of cancer among persons with schizophrenia and their relatives. Archives of General Psychiatry 58: 573-578, 2001
- Himelhoch S, Leith J, Goldberg R, et al: Care and management of cardiovascular risk factors among individuals with schizophrenia and type 2 diabetes who smoke. Gen Hosp Psychiatry 31: 30-32, 2009
- Ostacher MJ, Nierenberg AA, Perlis RH et al: The relationship between smoking and suicidal behavior, comorbidity, and course of illness in bipolar disorder. Jounal of Clinical Psychiatry 62: 1907-1911, 2006
- 9. Tsopleas C, Kardaras K, Kontaxakis V: Smoking in patients with psychiatric disorders: Effects on their psychopathology and quality of life. Psychiatrike. 19: 306-312, 2008

- Zvolensky MJ, Feldner MT, Leen-Feldner EW, et al: Smoking and panic attacks, panic disorder, and agoraphobia: A review of the empirical literature. Clinical Psychology Review 25: 761-789, 2005
- 11. Thorndike FP, Wernicke R, Pearlman MY, et al: Nicotine dependence, PTSD symptoms, and depression among male and female smokers. Addictive Behaviors. 31: 223-231, 2006
- Prochaska JJ, Hall SM, Bero LA: Tobacco use among individuals with schizophrenia: What role has the tobacco industry played? Schizophrenia Bulletin 34: 555-567, 2008
- 13. Williams SC, Hafner JM, Morton DJ, et al: The adoption of smoke-free hospital campuses in the United States. Tobacco Control 18: 451-458, 2009
- 14. Lane GM, Werdel MB, Schacht L, et al: Smoking policies and practices in state psychiatric facilities: Survey results from 2008. Alexandria, VA, National Association of State Mental Health Program Directors Research Institute, Inc. (NRI), 2009
- 15. Cormac I, Creasey S, McNeil A, et al: Impact of a total smoking ban in a high secure hospital. Psychiatrist. 34: 413-417, 2010
- Hollen V, Ortiz G, Schact L: Effects of adopting a smoke-free policy in state psychiatric hospitals. Psychiatric Services 61: 899-904, 2010
- 17. Lawn S, Pols R: Nicotine withdrawal: Pathway to aggression and assault in the locked psychiatric ward? Australasian Psychiatry 11: 199-203, 2003
- Quinn J, Inman JD, Fadow P: Results of the conversion to a tobacco-free environment in a state psychiatric hospital. Administration and Policy in Mental Health 27: 451-453, 2000
- 19. Hughes JR, Higgins ST, Bickel WK: Nicotine withdrawal versus other drug withdrawal syndromes: Similarities and dissimilarities. Addiction, 89: 1461-1470, 1994

- 20. Allen MH, Debanné M, Lazignan C, et al: Effects of nicotine replacement therapy on agitation in smokers with schizophrenia: a double-blind, randomized, placebo-controlled study. American Journal of Psychiatry 168: 395-399, 2011
- 21. Lawn S, Pols R: Smoking bans in psychiatric inpatient settings? A review of the research. Australian and New Zealand Journal of Psychiatry 39: 866-885, 2005
- 22. Etter M, Khan AN, Etter J-F: Acceptability and impact of a partial smoking ban followed by a total smoking ban in a psychiatric hospital. Preventive Medicine 46: 572-578, 2008
- 23. Lawn S, Campion J: Factors associated with success of smoke-free initiatives in Australian psychiatric inpatient units. Psychiatric Services 61: 300-305, 2010
- 24. Wolfenden L, Wiggers J, Knight J, et al: Increasing smoking cessation care in a preoperative clinic: A randomized controlled trial. Preventive Medicine 41: 284-290, 2005
- 25. Hickman N.J, Prochaska JJ, Dunn LB: Screening for understanding of research in the inpatient psychiatry setting. Journal of Empirical Research on Human Research Ethics 6: 65-72, 2011
- 26. Hughes JR, Hatsukami D: Signs and symptoms of tobacco withdrawal. Archives of General Psychiatry 43: 289-294, 1986
- 27. Hughes, J, Hatsukami D: Errors in using tobacco withdrawal scale. Tobacco Control 7: 92-93, 1998
- 28. Heatherton TF, Kozlowski LT, Frecker RC, et al: Measuring the heaviness of smoking: Using a self-reported time to first cigarette of the day and number of cigarettes smoked per day. British Journal of Addiction 84: 791-799, 1989
- 29. Adresen EM, Malmgren JA, Carter WB, et al: Screening for depression in well older adults: Evaluation of the short form of the CES-D (Center for Epidemiologic Studies-Depression Scale). American Journal of Preventive Medicine 10: 77-84, 1994
- 30. Radloff LS: The CES-D scale: A self-report depression scale for research in the general population. Applied Psychological Measurement 1: 385-401, 1977

- 31. Saunders JB, Aasland OG, Babor TF, et al: Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO collaborative project on the early detection of persons with harmful alcohol consumption-II. Addiction 88: 791-804, 1993
- 32. Cocco KM, Carey KB: Psychometric properties of the drug abuse screening test in psychiatric outpatients. Psychological Assessment 10: 408-414, 1998
- 33. American Psychiatric Association. Diagnostic and statistical manual of mental disorders.
  4<sup>th</sup> ed. TR. Washington, DC, American Psychiatric Press, 2000
- 34. Blouin AG, Perez EL, Blouin JH: Computerized administration of the diagnostic interview schedule. Psychiatry Research 23: 335-344, 1988
- 35. Robins LN, Helzer JE, Croughan J, et al: National Institute of Mental Health diagnostic interview schedule. Its history, characteristics, and validity. Archives of General Psychiatry 38: 381-389, 1991
- 36. Babor TF, Higgins-Biddle JC, Saunders JB, et al: AUDIT- The Alcohol Use Disorders Identification Test: Guidelines for use in Primary Care. Geneva, World Health Organization Department of Mental Health and Substance Dependence, 2001
- 37. Skinner, HA: The drug abuse screening test. Addictive Behaviors 7: 363-371, 1992
- 38. Chabrol H, Niezborala M, Chastan E, et al: Comparison of the heavy smoking index and of the Fagerström test for nicotine dependence in a sample of 749 cigarette smokers. Addictive Behaviors. 30: 1474-1477, 2005
- 39. Duxbury JA, Wright K, Bradley D, et al: Administration of medication in the acute mental health ward: Perspective of nurses and patients. International Journal of Mental Health Nursing 19: 53-61, 2010
- 40. Dale LC, Ebbert JO, Hays J, et al: Treatment of Nicotine Dependence. Mayo Clinic Proceedings 75: 1311-1316, 2000