

ICD-9-CM Codes Used to Identified Diagnosis of Interest for Clozapine Analysis

Diagnosed Groups	ICD-9-CM Codes*
Any Mental Disorders	290.xx - 319.xx
Schizophrenia	295.xx
Schizophreniform	295.4x
Schizoaffective Disorders	295.7x
Epilepsy	345.xx
White Blood Cell Diseases	288.xx
Moderate/Severe Mental Retardation	318.xx
Intracranial Injury	815.xx-854.xx
Substance Use Disorders	291.xx, 292.xx, 303.xx, 304.xx
Depressive Disorders	293.83, 296.2x, 296.3x, 296.9x, 298.0x, 300.4x, 311.xx
Anxiety Disorders	293.84, 300.0x, 300.2x, 300.3x, 308.3x, 309.21, 309.81, 313.0x, 313.2x, 313.89
Deliberate Self-harm	E950-959
Diabetes	250.xx
Serious Cardiovascular Diseases	401.0x-404.9x, 410.xx-416.xx, 425.xx-437.xx, 440.xx-447.xx
Hyperlipidemia	272.0x-272.4x, 272.7x, 272.9x
HIV	042, 043, 044, 079.53, V08
Drug-related Dyskinesia	333.85


* x indicates inclusion of any 5th digit if available for a diagnosis code.

xx indicates inclusion of any 4th and 5th digits if available for a diagnosis code.

CPT Codes for Psychotherapy or Psychosocial Service Contacts

Services	CPT Codes
Psychotherapy	90804-90829, 90841-90847, 90849, 90853, 90855, 90857, 90875, 90876
Psychosocial Service Contacts	H0036, H2000, H2010, H2011, H2012, H2014, H2017

Predictors of clozapine use in the U.S.



Predictors of clozapine use in the U.S.

