


ONLINE SUPPLEMENT

Appendix Figure 1. Prevalence of behavioral therapy before and after start of polypharmacy across 29 states, 1999-2010

A. Percentage of pediatric patients receiving behavioral therapy prior to starting PMP % Pediatric patients with behavioral therapy before PMP 1st Quartile: 20.94 - 22.1 2nd Quartile: 36.55 - 50.18 4th Quartile: 50.18 - 63.86 No Data C. Percentage of adult patients receiving behavioral therapy prior to starting PMP







Appendix Table 1. Prevalence of behavioral therapy surrounding polypharmacy in Medicaid patients across 29 states,

1999-2010

	Pediatric patients						Adult patients					
year	Eligible patients	Behavioral therapy prior to PMP	%	Behavioral therapy after PMP	%	Eligible patients*	Behavioral therapy prior to PMP	%	Behavioral therapy after PMP	%		
1999-200	34,846	7,456	21.4 0	8,851	25.4 0	84,107	8,794	10.46	10,608	12.61		
2000-200	37,349	8,386	22.4 5	9,986	26.7 4	85,668	8,681	10.13	11,506	13.43		
2001-200	42,822	9,936	23.2	11,650	27.2 1	89,149	9,914	11.12	12,738	14.29		
2002-200	49,612	11,520	23.2	18,259	36.8 0	92,541	10,526	11.37	15,586	16.84		
2003-200	59,886	17,802	29.7 3	25,677	42.8 8	110,316	13,352	12.10	21,239	19.25		

2004-200	46,576	17,910	38.4 5	20,241	43.4 6	82,403	12,744	15.47	15,598	18.93
2005-200	36,307	14,654	40.3 6	15,995	44.0 5	71,075	11,551	16.25	13,545	19.06
2006-200	31,117	12,091	38.8 6	12,993	41.7 6	56,211	9,369	16.67	10,235	18.21
2007-200	31,124	11,365	36.5 2	12,446	39.9 9	53,656	8,317	15.50	9,534	17.77
2008-201	28,089	9,083	32.3 4	10,479	37.3 1	48,079	6,216	12.93	7,559	15.72

^{*}Defined as patients (children and adults) with a minimum of 2-years FFS/PCCM eligibility after the first psychotropic drug claim (index date) and start of polypharmacy (≥2 concomitant psychotropics) more than 6 months after index date and at least 6 months FFS/PCCM after start of polypharmacy.

Appendix Table 2. Prevalence of behavioral therapy surrounding polypharmacy across 29 states, 1999-2010

		Pe	diatric patie	nts			P	Adult patient	S						
State	Eligible patients*	Behavioral therapy prior to PMP	%	Behavioral therapy after PMP	%	Eligible patients*	Behavioral therapy prior to PMP	%	Behavioral therapy after PMP	%					
Arkansas	4,872	1,077	22.11	1,121	23.01	2,942	413	14.04	474	16.11					
California	13,845	130	0.94	231	1.67	71,084	479	0.67	530	0.75					
Florida	10,317	2,621	25.40	1,533	14.86	15,117	2,928	19.37	1,535	10.15					
Georgia	10,280	3,015	29.33	1,495	14.54	15,403	2,635	17.11	1,350	8.76					
Idaho	2,711	1,089	40.17	420	15.49	2,954	664	22.48	428	14.49					
Illinois	15,933	5,824	36.55	2,722	17.08	20,831	5,946	28.54	2,474	11.88					
Indiana	7,668	4,756	62.02	990	12.91	13,274	5,086	38.32	1,827	13.76					
Kansas	3,180	1,919	60.35	436	13.71	2,917	1,225	42.00	357	12.24					
Louisiana	14,555	1,461	10.04	1,382	9.50	18,146	1,463	8.06	1,002	5.52					
Massachusetts	1,259	319	25.34	124	9.85	1,893	436	23.03	208	10.99					
Minnesota	4,484	2,471	55.11	547	12.20	6,563	2,834	43.18	808	12.31					
Mississippi	5,101	1,384	27.13	876	17.17	7,821	1,019	13.03	794	10.15					
Missouri	6,754	4,313	63.86	755	11.18	21,286	5,699	26.77	2,942	13.82					
New Jersey	1,741	758	43.54	215	12.35	5,544	1,775	32.02	548	9.88					
New York	11,984	405	3.38	282	2.35	53,481	3,682	6.88	2,412	4.51					
North Carolina	14,143	7,097	50.18	2,336	16.52	24,717	6,023	24.37	3,516	14.23					
Ohio	15,173	1,713	11.29	1,010	6.66	32,445	2,974	9.17	2,020	6.23					
South Carolina	7,266	3,433	47.25	993	13.67	9,572	2,167	22.64	1,068	11.16					

Tennessee	5,052	796	15.76	1,464	28.98	18,921	1,316	6.96	3,054	16.14
Texas	23,332	11,489	49.24	3,646	15.63	22,940	5,785	25.22	2,622	11.43
Virginia	4,764	2,620	55.00	590	12.38	6,891	1,549	22.48	794	11.52
West Virginia	3,437	891	25.92	483	14.05	11,915	1,738	14.59	1,133	9.51
Wisconsin	5,991	2,654	44.30	816	13.62	7,503	2,239	29.84	945	12.59

^{*}Defined as patients (children and adults) with a minimum of 2-years FFS/PCCM enrollment after the first psychotropic drug claim (index date) and start of

polypharmacy (≥2 concomitant psychotropics) more than 6 months after index date and at least 6 months enrollment after start of polypharmacy.

Appendix

List of Codes for Psychotherapy

CPT	
	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 20 to 30
90804	minutes face-to-face with the patient
	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 20 to 30
90805	minutes face-to-face with the patient; with medical evaluation and management services
	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 45 to 50
90806	minutes face-to-face with the patient
	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 45 to 50
90807	minutes face-to-face with the patient; with medical evaluation and management services
	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 75 to 80
90808	minutes face-to-face with the patient
	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 75 to 80
90809	minutes face-to-face with the patient; with medical evaluation and management services
	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal
90810	communication, in an office or outpatient facility, approximately 20 to 30 minutes face-to-face with the patient
	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal
	communication, in an office or outpatient facility, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and
90811	management services
	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal
90812	communication, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient
	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal
90813	communication, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and

	management services
90814	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 75 to 80 minutes face-to-face with the patient
	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an office or outpatient facility, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and
90815	management services
90816	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient
90817	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and management services
90818	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient
90819	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services
90821	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient
90822	Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and management services
90823	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient
00020	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal
90824	communication, in an inpatient hospital, partial hospital or residential care setting, approximately 20 to 30 minutes face-to-face with the patient; with medical evaluation and management services
90826	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient
90827	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services
90828	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient
90829	Individual psychotherapy, interactive, using play equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication, in an inpatient hospital, partial hospital or residential care setting, approximately 75 to 80 minutes face-to-face with the patient; with medical evaluation and management services
90829	
	Interactive group psychotherapy
90832	Psychotherapy, 30 minutes with patient and/or family member

90833	Psychotherapy, 30 minutes with patient and/or family member when performed with an evaluation and management service
90834	Psychotherapy, 45 minutes with patient and/or family member
90836	Psychotherapy, 45 minutes with patient and/or family member when performed with an evaluation and management service
90837	Psychotherapy, 60 minutes with patient and/or family member
90838	Psychotherapy, 60 minutes with patient and/or family member when performed with an evaluation and management service
90839	Psychotherapy for crisis; first 60 minutes
90840	Psychotherapy for crisis; each additional 30 minutes
90846	Family psychotherapy (without the patient present)
90847	Family psychotherapy (conjoint pyschotherapy) (with patient present)
90849	Multiple-family group psychotherapy
90853	Group Psychotherapy (other than of a multiple-family group)
90863	Pharmacologic managament, including prescription and review of medication, when performed with psychotherapy services
90875	Individual psychophysiological therapy incorporating biofeedback training by any modality, with psychotherapy; 30 minutes
90876	Individual psychophysiological therapy incorporating biofeedback training by any modality, with psychotherapy; 45 minutes
4050F	Patient referral for psychotherapy documented
4060F	Psychotherapy services provided
H CODES	
H0004	Behavioral health counseling and therapy, per 15 minutes
H0017	Behavioral health; residential (hospital residential treatment program), without room and board, per diem
H0018	Behavioral health; short-term residential (non-hospital residential treatment program), without room and board, per diem
110040	Behavioral health; long-term residential (non-medical, non-acute care in a residential treatment program where stay is typically longer than
H0019	30 days), without room and board, per diem
H0019 H0036	
	30 days), without room and board, per diem
H0036	30 days), without room and board, per diem Community psychiatric supportive treatment, face-to-face, per 15 minutes
H0036 H0037	30 days), without room and board, per diem Community psychiatric supportive treatment, face-to-face, per 15 minutes Community psychiatric supportive treatment program, per diem
H0036 H0037 H0038	30 days), without room and board, per diem Community psychiatric supportive treatment, face-to-face, per 15 minutes Community psychiatric supportive treatment program, per diem Self-help/peer services, per 15 minutes
H0036 H0037 H0038 H0039	30 days), without room and board, per diem Community psychiatric supportive treatment, face-to-face, per 15 minutes Community psychiatric supportive treatment program, per diem Self-help/peer services, per 15 minutes Assertive community treatment, face-to-face, per 15 minutes
H0036 H0037 H0038 H0039 H0040	30 days), without room and board, per diem Community psychiatric supportive treatment, face-to-face, per 15 minutes Community psychiatric supportive treatment program, per diem Self-help/peer services, per 15 minutes Assertive community treatment, face-to-face, per 15 minutes Assertive community treatment program, per diem

H2013	Psychiatric health facility service, per diem				
H2017	Psychosocial rehabilitation services, per 15 minutes				
H2018	Psychosocial rehabilitation services, per diem				
H2019	Therapeutic behavioral services, per 15 minutes				
H2020	Therapeutic behavioral services, per diem				