

**Proportion of clients with scores higher than 40 and 70.**

Follow up Time	GAF SF		GAF OC		GAF Sym	
	% above 40	% above 70	% above 40	% above 70	% above 40	% above 70
Baseline	81.85	19.69	30.56	8.64	28.00	2.46
3 months	89.91	34.70	54.31	24.28	56.78	7.57
6 months	93.36	39.45	68.11	29.13	71.21	8.95
9 months	95.29	46.60	70.68	38.22	74.87	17.28
12 months	97.71	57.25	74.05	41.22	73.08	28.46

**Predictors of Follow-up (3, 6, 9, 12 month) outcomes only controlling for baseline demographics and baseline outcome, not mutually controlling other predictors.**

Predictors	GAF SF			GAF OC			GAF Sym			Education/Employment			Hosp. for Psych Cond.		
	Beta	Std Err	p-val	Beta	Std Err	p-val	Beta	Std Err	p-val	Logodds	Std Err	p-val	Logodds	Std Err	p-val
Baseline Education/Employment	1.968	1.227	.109				1.953	1.672	.243				-.236	.266	.375
Baseline GAF Symptoms	-.053	.035	.123	.092	.071	.199				.012	.008	.122	-.027	.009	.003*
Time to Intervention (days)	-.011	.091	.902	-.255	.164	.12	-.45	.123	<.001*	.003	.019	.878	.014	.02	.498
Substance Use	1.918	1.159	.098	-2.064	2.022	.307	.466	1.655	.778	.177	.234	.449	.298	.267	.264
Medication Adherence (ref=No)															
Yes	1.167	1.271	.358	-1.56	1.668	.35	2.532	1.488	.089	-.221	.303	.466	.152	.334	.649
No Meds Prescribed	2.103	1.508	.163	3.012	2.18	.167	7.12	2.096	<.001*	.073	.364	.842	-1.311	.667	.049*
Unknown	-.105	2.887	.971	-.195	4.249	.963	-.126	5.022	.98	-.15	.657	.819	.801	.626	.201
Suicidal Ideation/Behavior													-.058	.277	.834
Violent Ideation/Behavior													.439	.257	.087

Each outcome model is run separately for each predictor while controlling for follow-up time, follow-up site, demographics, and baseline of the respective outcome.

\*p-value <.05

