

Survey respondents (N=162) by state and institution

<b>State</b>	<b># Respondents</b>	<b>% Respondents</b>
<b>CA</b>	<b>10</b>	<b>6</b>
Arrowhead Regional Medical Center	1	1
Loma Linda University Health Education Consortium	1	1
University of California San Diego Medical Center	8	5
<b>FL</b>	<b>6</b>	<b>4</b>
Jackson Memorial Hospital/Jackson Health System Program	3	2
Life Management of NW Florida	1	1
University of Florida College of Medicine Jacksonville	2	1
<b>GA</b>	<b>7</b>	<b>4</b>
Emory University School of Medicine	7	4
<b>IL</b>	<b>8</b>	<b>5</b>
Loyola University Medical Center	2	1
University of Chicago	5	3
University of Illinois College of Medicine at Chicago	1	1
<b>KY</b>	<b>1</b>	<b>1</b>
University of Kentucky College of Medicine	1	1
<b>MD</b>	<b>1</b>	<b>1</b>
National Capital Consortium	1	1
<b>MI</b>	<b>14</b>	<b>9</b>
Michigan State University	2	1
University of Michigan Hospitals and Health Centers	7	4
Western Michigan University Homer Stryker MD School of Medicine	5	3
<b>MO</b>	<b>2</b>	<b>1</b>
Kansas City University of Medicine & Biosciences-GME Consortium	2	1
<b>NH</b>	<b>4</b>	<b>3</b>
Mary Hitchcock Memorial Hospital	4	3
<b>NJ</b>	<b>2</b>	<b>1</b>
New Bridge Medical Center	2	1
<b>NV</b>	<b>1</b>	<b>1</b>
University of Nevada Reno School of Medicine (Las Vegas)	1	1
<b>NY</b>	<b>70</b>	<b>43</b>
Albany Medical Center	4	3
BestSelf Behavioral Health	1	1
Icahn School of Medicine at Mount Sinai	9	6

Maimonides Medical Center	1	1
Montefiore Medical Center/Albert Einstein College of Medicine	8	5
New York Medical College at Metropolitan Hospital	6	4
New York Presbyterian Hospital (Columbia Campus)	10	6
New York Presbyterian Hospital (Cornell Campus)	1	1
St Barnabas Hospital	1	1
Zucker School of Medicine at Hofstra/Northwell	29	18
<b>OK</b>	<b>2</b>	<b>1</b>
Oklahoma State University Center for Health Sciences	2	1
<b>OR</b>	<b>3</b>	<b>2</b>
Oregon Health & Science University	3	2
<b>PA</b>	<b>10</b>	<b>6</b>
Drexel University College of Medicine/Hahnemann University Hospital	1	1
University of Pittsburgh	9	6
<b>TN</b>	<b>2</b>	<b>1</b>
University of Tennessee	2	1
<b>TX</b>	<b>9</b>	<b>6</b>
Baylor College of Medicine	6	4
University of Texas RGV	3	2
<b>VA</b>	<b>4</b>	<b>3</b>
Eastern Virginia Medical School	2	1
University of Virginia Medical Center	1	1
Virginia Commonwealth University Health System	1	1
<b>VT</b>	<b>4</b>	<b>3</b>
University of Vermont Medical Center	4	3
<b>WI</b>	<b>2</b>	<b>1</b>
University of Wisconsin Hospitals and Clinics	2	1

Characterization of psychoeducation provided to patients with FEP and their families during inpatient hospitalization.

	Number of respondents (NYC trainees, N=59) – patient psychoeducation		Number of respondents (NYC trainees, N=58) – family psychoeducation		Number of respondents (national sample, N=153) – patient psychoeducation		Number of respondents (national sample, N=152) – family psychoeducation	
	N	%	N	%	N	%	N	%
Individual or group session								
Individual	57	97	50	86	147	96	125	82
Group	2	3	8	14	6	4	27	18
Approximate number of sessions								
One	3	5	26	45	34	22	85	56
Two	25	42	25	43	58	38	46	30
Three	18	31	3	5	38	25	12	8
Four or more	13	22	4	7	23	15	9	6
Duration of a single session								
< 15 minutes	25	42	13	22	70	46	46	31
15 – 30 minutes	30	51	34	59	75	49	85	56
> 30 minutes	4	7	10	17	8	5	20	13
Content of psychoeducation								
Diagnosis	58	98	58	100	150	98	152	100
Etiology of illness	39	66	46	79	109	71	122	80
Prevalence	22	37	27	47	41	27	59	39
Prognosis	53	90	54	93	128	84	139	91
Treatment options	56	95	56	97	146	95	149	98
Medication side effects	57	97	52	90	149	97	139	91
Relapse prevention	48	81	50	86	128	84	130	86
Warning signs of relapse	45	76	50	86	106	69	128	84
Potential impact of substance use	52	88	46	79	130	85	131	86
Emotional impact of illness	28	47	35	60	76	50	93	61
Coping skills	41	69	33	57	104	68	82	54