	TANF/SCHIP/SSI	Foster n=301,894
	n=5,092,574	
Age		
0-5	35.5	18.1
6-9	22.6	22.7
10-13	19.7	25.6
14-18	22.1	33.6
Gender		
Male	50.9	51.6
Female	49.1	48.4
Race/Ethnicity		
White	41.7	46.8
Black	29.1	36.8
Hispanic	24.1	12.9
Other	5.1	3.5
Psychiatric Diagnoses		
Attention Deficit Hyperactivity		
Disorder	6.5	17.3
Disruptive Behavior Disorder	2.5	7.2
Conduct Disorder	.5	2.3
Stress-Related Disorders	.5	3.1
Substance Use Disorder	.6	1.6
Other Mental Health Diagnosis	7.8	12.8
Comorbidity		
No diagnosis	83.5	62.9
One diagnosis	15.0	31.1
Two or more diagnoses	1.6	6.0
Any Antipsychotic Use	1.4	7.4

## Clinical and Demographic Characteristics of Medicaid Beneficiaries Ages 0 to 18 by Enrollment in Foster Care (%)

	TANF/SCHIP/SSI	Foster n=301,894
	n=5,092,574	
Age		
0-5	.2	1.3
6-9	1.6	7.0
10-13	2.4	9.4
14-18	2.4	9.5
Gender		
Male	2.1	9.6
Female	.8	5.1
Race/Ethnicity		
White	2.1	8.9
Black	1.2	6.7
Hispanic	.6	4.8
Other	.8	5.3
Psychiatric Diagnoses		
Attention Deficit Hyperactivity		
Disorder	14.1	25.5
Disruptive Behavior Disorder	16.1	28.2
Conduct Disorder	25.5	37.6
Stress-Related Disorders	13.3	31.5
Substance Use Disorder	7.1	18.7
Other Mental Health Diagnosis	2.6	6.5
Comorbidity		
No diagnosis	.2	1.5
One diagnosis	6.1	13.4
Two or more diagnoses	30.1	43.8

Rates of Antipsychotic Use by Clinical/Demographic Characteristics, Stratified by Enrollment in Foster Care (%)

Diagnosis	ICD-9-CM Code
Schizophrenia	295
Bipolar Disorder	296.0, 296.1, 296.4-296.8, 301.13
Autism	299.0
Major Depressive Disorder	296.2, 296.3
Attention Deficit Hyperactivity Disorder	314
Disruptive Behavior Disorder (includes	
Oppositional Defiant Disorder)	312.9, 313.81
Conduct Disorder	312.0-312.89
Adaptive Disorders (includes Acute	
Stress Disorder and Post Traumatic	
Stress Disorder)	308.3, 309.81
Substance Use Disorders	291, 292, 303, 304, 305

Psychiatric Diagnoses and Corresponding ICD-9-CM Codes