Demographic characteristics and co-occurring disorder diagnoses for community mental health sample of individuals with co-occurring disorders that were confined in the county jail during the study period (n=677)

Der				М	lean (SD)		
Demographics				Mean (SD)			
Age (in Years			37.0 ± 9.8				
					N (%)		
					11(70)		
Gender							
	Male			452 (67)			
Female	Female			225 (33)			
Race							
White	White			228 (34)			
Black	Black			253 (37)			
Other	Other			9 (1)			
Missing			187 (28)				
Co-occurring d	lisorders for tl	nose that v	vent	to jail (N=6'	77)		
	Alcohol	Drug		Alcohol	Drug	Totals	
	Dependency	Depende	ncy	Abuse	Abuse		
	n(%)	n(%)		n(%)	n(%)	n(%)	
Schizophrenia	37(6)	94(14)	19(3)	16(2)	166(25)	
Bipolar	36(5)	102(15	5)	11(2)	4(1)	153(23)	
Disorder							
Major	10(2)	39(6)		2(<1)	2(<1)	53(8)	
Depressive							
Disorder							
Depressive	131(19)	159(23)		6(1)	9(1)	305(44)	
Disorder NOS							
Totals	214(32)	394(58	B)	38(6)	31(4)	677(100)	

*Percentages represent percent of the total sample of 677, and not percent of column or row sample only

Logistic regression of post-incarceration mental health treatment in the community versus no mental health treatment in the community on co-occurring disorder diagnosis groups

	Odds Ratio	95% Confidence Interval	p value
Co-occuring disorder			
Schizophrenia			
Dependence	ref	ref	ref

Abuse	1.30	.70 - 2.42	.41
Bipolar disorder			
Dependence	.51	.3379	<.01
Abuse	2.22	.87 - 5.67	.01
Major depressive			
Dependence	.21	.1139	<.01
Abuse	1.08	.32 - 3.61	.91
Depressive NOS			
Dependence	.35	.2452	<.01
Abuse	.53	.22 - 1.27	.16
Control variables			
Female	1.37	1.02 - 1.83	.04
Age	1.01	.99 - 1.02	.23